

----- POPULATION ESTIMATES -----				----- Long-Term Care -----		----- Local Health Departments -----		
Total 2000 Population 15,830				Community Options and MA Waiver Programs		Per 10,000		
Population per square mile 35						Staffing - FTE	Number	Population
County ranking in state ( 1-72) 43						Total staff	.	.
						Administrative	.	.
						Professional staff	.	.
						Technical/Paraprof.	.	.
						Support staff	.	.
						Funding	Per capita	
						Total	.	.
						Local Taxes	.	.
						----- Licensed Establishments -----		
						Type	Capacity	Facilities
						Bed & Breakfast	26	6
						Camps	2,304	23
						Hotels, Motels	328	25
						Tourist Rooming	37	14
						Pools		12
						Restaurants		88
						Vending		1
						----- WIC Participants -----		
							Number	
						Pregnant/Postpartum	123	
						Infants	130	
						Children, age 1-4	183	
						Total	436	
						----- Cancer Incidence -----		
							1999	
						Primary Site	Number	
						Breast	16	
						Cervical	3	
						Colorectal	12	
						Trachea, Bronchus, Lung	24	
						Prostate	17	
						Other sites	30	
						Total	102	

----- Employment -----			
Average wage for jobs covered by unemployment compensation \$22,101			
Note: based on place of work			
Annual			
Labor Force Estimates Average			
Civilian Labor Force 6,989			
Number employed 6,567			
Number unemployed 422			
Unemployment rate 6.0%			

Home Health Agencies			1
Patients			181
Patients per 10,000 pop.			114
Nursing Homes			1
Licensed beds			48
Occupancy rate			66.7%
Residents on Dec.31			36
Residents age 65 or older per 1,000 population			11

\$68,274 of the above waiver costs were paid as local match/overmatch using COP funds. This amount is not included in above COP costs.		
* Waiver costs reported here include federal funding.		
Eligible and Waiting 53 n/a		
(Family Care not provided in county)		
Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available.		

## NATALITY

<b>TOTAL LIVE BIRTHS</b>	146
Crude Live Birth Rate	9.2
General Fertility Rate	57.6
Live births with reported congenital anomalies	2 . %

<b>Delivery Type</b>	<b>Births</b>	<b>Percent</b>
Vaginal after previous cesarean	6	4
Forceps	5	3
Other vaginal	97	66
Primary cesarean	25	17
Repeat cesarean	13	9
Other or unknown	0	0

<b>Birthweight</b>	<b>Births</b>	<b>Percent</b>
<1,500 gm	2	1.4
1,500-2,499 gm	4	2.7
2,500+ gm	140	95.9
Unknown	0	0

<b>Birth Order</b>	<b>Births</b>	<b>Percent</b>
First	60	41
Second	44	30
Third	21	14
Fourth or higher	21	14
Unknown	0	0

<b>First Prenatal Visit</b>	<b>Births</b>	<b>Percent</b>
1st trimester	109	75
2nd trimester	30	21
3rd trimester	6	4
No visits	0	0
Unknown	1	1

<b>Number of Prenatal Care visits</b>	<b>Births</b>	<b>Percent</b>
No visits	0	0
1-4	3	2
5-9	34	23
10-12	68	47
13+	39	27
Unknown	2	1

<b>Marital Status of Mother</b>	<b>Births</b>	<b>Percent</b>
Married	110	75
Not married	36	25
Unknown	0	0

<b>Education of Mother</b>	<b>Births</b>	<b>Percent</b>
Elementary or less	9	6
Some high school	23	16
High school	58	40
Some college	29	20
College graduate	27	18
Unknown	0	0

<b>Smoking Status of Mother</b>	<b>Births</b>	<b>Percent</b>
Smoker	30	21
Nonsmoker	116	79
Unknown	0	0

<b>Race of Mother</b>	<b>Births Percent</b>		<b>Low Birthweight (under 2,500 gm) Births Percent</b>		<b>Trimester of First Prenatal Visit</b>					
					<b>1st Trimester</b>		<b>2nd Trimester</b>		<b>Other/Unknown</b>	
White	144	99	6	4.2	107	74	30	21	7	5
Black	0	0	.	.	.	.	.	.	.	.
Other	2	1	*	.	*	.	*	.	*	.
Unknown	0	0	.	.	.	.	.	.	.	.

<b>Age of Mother</b>	<b>Fertility Births Rate</b>		<b>Low Birthweight (under 2,500 gm) Births Percent</b>		<b>Trimester of First Prenatal Visit</b>					
					<b>1st Trimester</b>		<b>2nd Trimester</b>		<b>Other/Unknown</b>	
<15	0	--	.	.	.	.	.	.	.	.
15-17	3	.	*	.	*	.	*	.	*	.
18-19	18	.	.	.	12	67	6	33	.	.
20-24	44	156	1	2.3	28	64	16	36	.	.
25-29	37	119	2	5.4	31	84	4	11	2	5
30-34	18	.	.	.	15	83	1	6	2	11
35-39	22	40	1	4.5	17	77	3	14	2	9
40+	4	.	*	.	*	.	*	.	*	.
Unknown	0	--	.	.	.	.	.	.	.	.

**Teenage Births**

21 44

\* Not reported: age or race category has less than 5 births

## ----- MORBIDITY -----

## REPORTED\* CASES OF SELECTED DISEASES

<u>Disease</u>	<u>Number</u>
Campylobacter Enteritis	<5
Giardiasis	0
Hepatitis Type A	0
Hepatitis Type B**	0
Hepatitis NANB/C	<5
Legionnaire's	<5
Lyme	<5
Measles	***
Meningitis, Aseptic	0
Meningitis, Bacterial	0
Mumps	***
Pertussis	***
Salmonellosis	0
Shigellosis	0
Tuberculosis	0

\* 2000 provisional data

\*\* Includes all positive HBsAg test results

\*\*\* Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	11
Genital Herpes	5
Gonorrhea	<5
Syphilis	0

## ----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

Compliant	2,328
Non-compliant	11
Percent Compliant	99.5

## ----- MORTALITY -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

<b>TOTAL DEATHS</b>	174
Crude Death Rate	1,099

<u>Age</u>	<u>Deaths</u>	<u>Rate</u>
1-4	.	.
5-14	.	.
15-19	2	.
20-34	2	.
35-54	14	.
55-64	21	1,174
65-74	39	2,290
75-84	46	4,952
85+	49	18,561

Infant

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Infant	1	.
Neonatal	.	.
Postneonatal	1	.
Unknown	.	.

Race of Mother

White	1	.
Black	.	.
Other	.	.
Unknown	.	.

Birthweight

<1,500 gm	.	.
1,500-2,499 gm	.	.
2,500+ gm	1	.
Unknown	.	.

Perinatal

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Perinatal	1	.
Neonatal	.	.
Fetal	1	.

Selected

<u>Underlying Cause</u>	<u>Deaths</u>	<u>Rate</u>
Heart Disease (total)	43	272
Ischemic heart disease	27	171
Cancer (total)	45	284
Trachea/Bronchus/Lung	16	.
Colorectal	1	.
Female Breast	3	.*
Cerebrovascular Disease	13	.
Lower Resp. Disease	11	.
Pneumonia & Influenza	3	.
Accidents	19	.
Motor vehicle	4	.
Diabetes	5	.
Infectious & Parasitic	.	.
Suicide	2	.

\* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	4	.
Other Drugs	3	.
Both Mentioned	.	.

## ----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

<u>Type of Motor Vehicle Crash</u>	<u>Persons Injured</u>	<u>Persons Killed</u>
Total Crashes	169	3
Alcohol-Related	43	1
With Citation:		
For OWI	35	0
For Speeding	19	0
Motorcyclist	6	0
Bicyclist	1	0
Pedestrian	5	0

## HOSPITALIZATIONS

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
------------------------	--------	---------------------	---------------------------	-------------------	-------------------------

**Injury-Related: All**

Total	179	11.3	4.7	\$13,196	\$149
<18	11	.	.	.	.
18-44	43	7.6	4.4	\$16,084	\$123
45-64	30	7.6	4.7	\$15,579	\$118
65+	95	32.8	5.2	\$11,555	\$379

**Injury: Hip Fracture**

Total	26	1.6	5.4	\$15,189	\$25
65+	26	9.0	5.4	\$15,189	\$136

**Injury: Poisonings**

Total	11	.	.	.	.
18-44	7	.	.	.	.

**Psychiatric**

Total	82	5.2	8.8	\$7,408	\$38
<18	22	6.6	11.7	\$9,043	\$60
18-44	32	5.7	8.3	\$6,283	\$36
45-64	11	.	.	.	.
65+	17	.	.	.	.

**Coronary Heart Disease**

Total	106	6.7	3.9	\$20,037	\$134
45-64	35	8.8	3.7	\$20,942	\$185
65+	69	23.8	4.1	\$20,082	\$478

**Malignant Neoplasms (Cancers): All**

Total	95	6.0	5.8	\$14,668	\$88
18-44	6	.	.	.	.
45-64	35	8.8	5.9	\$15,153	\$134
65+	52	18.0	6.1	\$15,489	\$278

**Neoplasms: Female Breast (rates for female population)**

Total	11	.	.	.	.
-------	----	---	---	---	---

**Neoplasms: Colo-rectal**

Total	11	.	.	.	.
65+	7	.	.	.	.

**Neoplasms: Lung**

Total	10	.	.	.	.
-------	----	---	---	---	---

**Diabetes**

Total	18	.	.	.	.
65+	13	.	.	.	.

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
------------------------	--------	---------------------	---------------------------	-------------------	-------------------------

**Alcohol-Related**

Total	45	2.8	4.6	\$4,351	\$12
18-44	22	3.9	4.6	\$3,952	\$15
45-64	17	.	.	.	.

**Pneumonia and Influenza**

Total	65	4.1	4.2	\$7,019	\$29
<18	7	.	.	.	.
45-64	12	.	.	.	.
65+	41	14.2	4.9	\$8,770	\$124

**Cerebrovascular Disease**

Total	61	3.9	3.8	\$8,754	\$34
45-64	14	.	.	.	.
65+	47	16.2	3.9	\$8,977	\$146

**Chronic Obstructive Pulmonary Disease**

Total	50	3.2	3.7	\$6,123	\$19
<18	3	.	.	.	.
18-44	3	.	.	.	.
45-64	15	.	.	.	.
65+	29	10.0	4.5	\$7,618	\$76

**Drug-Related**

Total	5	.	.	.	.
18-44	2	.	.	.	.

**Total Hospitalizations**

Total	1,950	123.2	4.0	\$9,153	\$1,127
<18	262	78.6	3.2	\$5,093	\$400
18-44	406	71.9	3.3	\$6,902	\$496
45-64	410	103.6	3.9	\$10,363	\$1,074
65+	872	301.1	4.7	\$10,852	\$3,268

## ----- PREVENTABLE HOSPITALIZATIONS\* -----

Total	253	16.0	3.8	\$7,339	\$117
<18	24	7.2	2.0	\$2,648	\$19
18-44	18	3.2	2.4	\$4,329	\$14
45-64	53	13.4	2.8	\$5,007	\$67
65+	158	54.6	4.6	\$9,177	\$501

\* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2000 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.